

Expression of Insulin-Like Growth Factor Receptor, IGF-1, and IGF-2 in Primary and Metastatic Osteosarcoma

SARAH BURROW, MD, MSc,¹ IRENE L. ANDRULIS, PhD,¹ MICHAEL POLLAK, MD, FRCPC,² AND
ROBERT S. BELL, MD, FRCSC^{1*}

¹*Samuel Lunenfeld Research Institute, Mount Sinai Hospital and the University of Toronto,
Toronto, Ontario, Canada*

²*Lady Davis Research Institute of the Jewish General Hospital, McGill University,
Montreal, Quebec, Canada*

Background and Objectives:

Methods:

Results:

Conclusions:

KEY WORDS: osteosarcoma; insulin-like growth factor; sarcoma;
insulin-like growth factor receptor; bone neoplasms

INTRODUCTION

MATERIALS AND METHODS
Tumor Specimens

Control Cell Lines

RNA Extraction From Specimens and Cell Lines

Quantification of RT-PCR Products

8
8
8

8 8 8
8 8 8
8 8 8
8 8 8
8 8 8
8 8 8

DISCUSSION

P 4

P 4

P 4

TABLE I. IGF Receptor and Ligand Expression in Primary and Metastatic Osteosarcoma*
